

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 04/20/2006

AP	PLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
	10/849,614	05/20/2004	Peter Zhou	APPDS-002A	6810
	7663 73	590 04/20/2006		EXAM	INER
		RUNDA GARRED &	BRUCKER	MALLARI, PATRICIA C	
	75 ENTERPRIALISO VIEJO,	SE, SUITE 250 . CA 92656		ART UNIT	PAPER NUMBER
	· · · · · · · · · · · · · · · · · · ·	,		3736	

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)			
Office Action Summany	10/849,614	ZHOU ET AL.			
Office Action Summary	Examiner	Art Unit			
	Patricia C. Mallari	3736			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time Till apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. ely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 27 De	ecember 2005.				
2a) ☐ This action is FINAL . 2b) ☒ This	action is non-final.				
3) Since this application is in condition for allowan	ice except for formal matters, pro	secution as to the merits is			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
 4) Claim(s) 3,4,7-21 and 23-26 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) 7-21,23 and 24 is/are allowed. 6) Claim(s) 3,4,25 and 26 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
 9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 20 May 2004 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119		·			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date S. Patent and Trademark Office		atent Application (PTO-152)			

Art Unit: 3736

DETAILED ACTION

This is a non-final Office action. New grounds of rejection under double patenting have been presented.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 3, 4, 25, and 26 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 3 and 4 of

Application/Control Number: 10/849,614 Page 3

Art Unit: 3736

copending Application No. 10/850315, herein referred to as Zhou '315. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of Zhou '315 only differ from those of the instant application in stating in using a power supply rather than a power receiver. Other than this substitution, the claims of Zhou '315 are identical to those of the instant application

However, US Patent No. 6,546,268 to Ishikawa et al. teaches an implantable biosensor system for measuring at least one parameter, wherein either a power receiver receives power from an external source (col. 8, lines 8-39 of Ishikawa) or a power supply is provided in the bio-sensor system (col. 10, line 58-col. 11, line 28 of Ishikawa). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify claims 3 and 4 of Zhou '315 to use a power receiver in place of the power supply, since Ishikawa teaches the two modes of supplying power to such a system as being functionally equivalent.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to Arguments

On p. 17 of the applicants' arguments filed 12/27/05, the applicants state, "Applicant submits herewith a terminal disclaimer in relation to ZHOU". However, no terminal disclaimer was found in the current application.

Allowable Subject Matter

Application/Control Number: 10/849,614 Page 4

Art Unit: 3736

Claims 3, 4, 25, and 26 would be allowable if the double patenting rejection were overcome. Claims 25 and 26 incorporate the subject matter previously indicated allowable form claims 3 and 4.

Claims 7-21 and 23 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia C. Mallari whose telephone number is (571) 272-4729. The examiner can normally be reached Monday-Friday 10:00 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Buşiness Center (EBC) at 866-217-9197 (toll-free):

Patricia Mallari Patent Examiner Art Unit 3736